
Article number: 83325201 Printing possible

Industrial pallet D3 ECO - 1200 x 1000 mm - with 3 runners - with 7 mm rims - black





Transoplast
+31(0)314 66 44 00
webshop@transoplast.nl
transoplastshop.com

Product specifications

External (LxWxH)	1200 × 1000 × 150 mm
Dynamic load capacity	1000 kg
Color	Black
Material	Recycled ECO-HDPE
Article number	83325201
Weight (kg)	14 kg
Temperature range	-30°C to +40°C, briefly up to +90°C
European Article Number	7424906076021
Static load capacity	5000 kg
Edge height	7 mm
Load capacity in racks	400
Quantity per pallet	16

Features

- **Euro pallet type D3 ECO (1200 x 800 x H 150 mm) with 7 mm raised rims around the deck**
- **Strong medium-duty pallet with low tare weight; easy to handle**
- **Equipped with 3 longitudinal pallet skids**
- **Load capacity can be significantly increased by adding corrosion-resistant reinforcement profiles in the pallet deck**
- **Racking load capacity is 400 kg. When 3 longitudinal inserts are added, this increases to 1000 kg; with 4 longitudinal inserts, racking load capacity reaches 1250 kg**
- **Undersides of blocks and skids open, with reinforcement ribs**
- **The D3 ECO pallet is extra strong due to the angled connection between blocks, skids and the pallet deck**
- **Pallet skids are bevelled on both sides for smooth handling**
- **Made from high-quality ECO regranulate for high impact resistance and long service life**
- **The D3 ECO pallet is widely used for custom-made plastic pallets – with or without reinforcement profiles in the deck**
- **Options: Pallet lid / pallet cover – fit-on rims – QR codes and barcodes – RFID transponders – 22 mm deck rims – 22 mm rims outside the deck – rimless version (optionally with pop-ups) – continuous anti-slip rubber strips for the deck**

Transoplast
+31(0)314 66 44 00
webshop@transoplast.nl
transoplastshop.com

Description

Our D3-ECO plastic industrial pallet is a true all-rounder and is therefore widely used throughout the logistics sector. The pallet has a low tare weight, making it easy to handle. By adding reinforcement profiles, it can be upgraded from a medium-duty pallet to a genuine racking pallet. Companies in the non-food sector as well as retail businesses make successful use of this pallet.
This D3 variant is equipped with 7 mm raised rims around the entire pallet deck. This prevents loads from slipping and stops empty pallets from sliding over one another. The D3 pallet is additionally reinforced at several potentially sensitive points, such as the transitions between pallet blocks, skids and the pallet deck. Manufactured from high-quality HDPE ECO regranulate for durable, long-lasting use.

Suitable accessories



83291800



99.49716

Alternative articles



83291800



99.49716

Transoplast
+31(0)314 66 44 00
webshop@transoplast.nl
transoplastshop.com