Article number: 52.RC682F.IWBV.2 Printing possible

# Roll container - for Euronorm - 2 clamp frames, galvanised - plastic base, grey



TRANSOPLAST
Improves your Logistics

**Transoplast**
+31(0)314 66 44 00
webshop@transoplast.nl
transoplastshop.com

## Product specifications

| | |
|---|---|
| External (LxWxH) | 815 × 682 × 1710 mm |
| Internal (LxWxH) | 815 × 615 × 1500 mm |
| Dynamic load capacity | 500 kg |
| Color | Grey |
| Article number | 52.RC682F.IWBV.2 |
| Weight (kg) | 24 kg |
| Bottom | Perforated - reinforced |
| Type | For Euronorm bins, crates, boxes etc. |
| Design | Demountable |
| Base material | HDPE - plastic |
| Structure | 2-sided / clamp frames |
| Wall material | Steel - hot-dip galvanised |
| Wheels | 2 fixed and 2 swivel castors Ø 125 mm |
| Fork material | Steel - electrolytically galvanised |
| Wheel construction | Nylon rim - rubber tread (non-marking - noise-dampening) |
| Extra | Plastic tension straps (2) |

## Features

- **Roll container (815 x 682 x H 1710 mm) for Euronorm bins, crates and packaging**
- **With an internal platform size of 815 x 615 mm - e.g. for 2 bins 600 x 400 mm side by side**
- **2-sided version - usable internal height: 1500 mm**
- **Base platform made of food-safe grey plastic**
- **Equipped with 2 fixed and 2 swivel castors Ø 125 mm**
- **Fitted with electrolytically galvanised wheel forks**
- **Wheel construction: nylon rim - rubber tread (non-marking - noise-dampening - shock-absorbing)**
- **The container is fitted with hot-dip galvanised insert walls**
- **The walls are inserted into the container base**
- **The hook-shaped insertion pins clamp the add-on walls securely into the container base**
- **Locking is done by the oval drop rings**
- **The add-on walls can also be removed again without tools**
- **The 2-sided roll container is supplied with 2 plastic tension straps**
- **Options: lettering - QR codes and barcodes - layer pads - coversheet - braked wheels - other wheel construction (e.g. hard nylon) - stainless steel - other wheel diameter - other container structure - folding couplings (for towing units)**

## Description

Grey 2-sided roll container (815 x 682 x H 1710 mm) with a usable platform size of 815 x 615 mm, suitable for Euronorm bins, crates and boxes. For example, two Euronorm bins 600 x 400 mm can fit side by side on the roll container. The roll container is fitted with a grey base platform made of food-safe plastic, equipped with smooth-running fixed and swivel castors Ø 125 mm. The forks of both the fixed and swivel castors are electrolytically galvanised. The wheels are constructed with a nylon rim fitted with a non-marking rubber tread. The version with rubber tread is particularly low-noise.

The structure of the roll container is designed with two steel clamp frames in a hot-dip galvanised finish. The side walls are inserted into the base platform and clamp themselves in place because the ends are slightly bent, creating a hook-shaped insertion pin. As a result, the add-on wall clamps itself into the base. The add-on wall is locked by the oval drop ring located in the centre of the add-on wall. When this is pushed upwards, the add-on wall can be removed from the base again. Because the clamp frames are hot-dip galvanised, they are suitable for long-term outdoor use.

The version with 2 frames is particularly practical as it can be loaded from both sides; unloading at the destination can also be done flexibly from two sides. In addition, protruding loads can be distributed to some extent. For this reason, this 2-sided version is the most commonly used design for long-term outdoor use.

TRANSOPLAST
Improves your Logistics

**Transoplast**
+31(0)314 66 44 00
webshop@transoplast.nl
transoplastshop.com

## Suitable accessories



99.459966



99.454502

## Alternative articles



H6882150.009.1



52.RC724E.ZBV.2



52.RC682F.ZABV.2



52.RC682F.ZBV.2

TRANSOPLAST
Improves your Logistics

**Transoplast**
+31(0)314 66 44 00
webshop@transoplast.nl
transoplastshop.com