
Article number: 83271999 Printing possible

UN-approved pallet box CB3 High - 1200 x 1000 mm - UN code 11H2/X - grey







TRANSOPLAST
Improves your Logistics

Transoplast
+31(0)314 66 44 00
webshop@transoplast.nl
transoplastshop.com

Product specifications

External (LxWxH)	1237 × 1036 × 1166 mm
Internal (LxWxH)	1108 × 897 × 983 mm
Capacity	1000 litre
Color	Grey
Sidewalls	Closed, reinforced
Material	HDPE
Article number	83271999
Weight (kg)	56,5 kg
Temperature range	-30°C to +40°C, briefly up to +90°C
Bottom	Closed, reinforced
Max. load capacity per box	800 kg
Max. static stacking load	1600 kg
Quantity per pallet	2

Features

- **Pallet box type CB3 High (1200 x 1000 x H 1140 mm) with drop-on lid and tie-down straps**
- **Dimensions incl. lid: 1237 x 1036 x H 1166 mm**
- **The CB3 High pallet box with lockable lid is certified with UN code 11H2/X**
- **Certified as a UN box for highly dangerous goods with code X**
- **For transport and storage of solid dangerous goods in packing groups I, II and III**
- **Approved as a UN overpack type 11H2H: plastic pallet box with lockable lid**
- **Maximum payload: 800 kg**
- **Stack load: max. 1600 kg**
- **With 3 runners for maximum stability and load capacity**
- **The runners are integral with the box - for a long service life**
- **Fitted all around with impact protection above the entry openings**
- **Inside walls are completely smooth and flat - easy to empty and easy to clean**
- **Made from virgin PE and highly chemical-resistant**
- **Stable stacking via the integrated stacking lugs on the corners**
- **Very robust one-piece pallet box that reliably protects your dangerous goods**
- **Options: RFID transponders - QR code and barcode - printing - available in various colours**

Description

Grey large-format plastic pallet box (1200 x 1000 x H 1140 mm – 1000 liter), type CB3 High, with grey lid and tie-down straps. This robust plastic pallet box is produced in one piece, including the pallet runners. The box is reinforced all around with an impact protection bumper above the entry openings. This acts as a buffer against impact damage. The box has **UN code 11H2/X** for the transport and storage of dangerous solid substances in **packing groups I, II and III**, including lithium batteries and accumulators (not critically defective). The inside is closed and smooth, allowing easy cleaning. The PE plastic used is highly chemical-resistant. The plastic pallet box is supplied with a matching drop-on lid, which is locked using four tie-down straps. These are secured in the corner elements. The box complies with the regulations set out in the ADR for road transport, as well as the rules for transporting dangerous goods by rail (RIO), by sea (IMDG Code) and by air (IATA-DGR).

Transoplast
+31(0)314 66 44 00
webshop@transoplast.nl
transoplastshop.com

Alternative articles



83271998



81941998

Transoplast
+31(0)314 66 44 00
webshop@transoplast.nl
transoplastshop.com